

STCE Newsletter

18 May 2015 - 24 May 2015



Published by the STCE - this issue : 29 May 2015. Available online at <http://www.stce.be/newsletter/>.


The Solar-Terrestrial Centre of Excellence (STCE) is a collaborative network of the Belgian Institute for Space Aeronomy, the Royal Observatory of Belgium and the Royal Meteorological Institute of Belgium.

Content	Page
1. Layer upon layer	2
2. Curious about GIC, power-grid and pipelines?	3
3. Or more interested in Solar and Astrophysical Modeling?	4
4. ESWW12 registration is open	5
5. PROBA2 Observations (18 May 2015 - 24 May 2015)	6
6. Review of solar activity	8
7. Review of geomagnetic activity	9
8. Geomagnetic Observations at Dourbes (18 May 2015 - 24 May 2015)	11
9. Review of ionospheric activity (18 May 2015 - 24 May 2015)	12
10. Future Events	13

Final Editor : Petra Vanlommel
Contact : R. Van der Linden, General Coordinator STCE,
Ringlaan - 3 - Avenue Circulaire, 1180 Brussels,
Belgium


1. Layer upon layer

Last week, the sunspot activity was again all but exciting. Only a few, very small, and mostly inactive sunspot groups were visible in white light. In H-alpha, which is a filter showing the "cold" inner atmosphere of the Sun, the Sun's outlook was dominated by some long filaments. These are local belts of plasma squeezed together by opposite polarity magnetic fields (see <http://stce.be/news/308/welcome.html>). Moving up to the hot outer solar atmosphere, the extreme ultraviolet (EUV) imagery from SDO showed darkish patches. Some of those patches contain the filaments seen in H-alpha and are called filament channels. Others are indicative of low density areas and correspond to coronal holes, allowing the fast solar wind to escape into space. At even higher temperatures, x-ray imagery show these coronal holes even more prominently, though part of them sometimes correspond to areas where there are simply little active (hot) areas - see this STCE Newsletter of 7 December 2012 at <http://stce.be/news/171/welcome.html> for more details.



The image above shows the Sun on 25 May in the 4 above-mentioned filters. All images were taken between 09:10 and 09:16UT, so the locations of the different features correlate very well. The solar outlook changes dramatically when moving from the solar surface (white light) all the way up to the very hot solar atmosphere. This can also be seen in this gif animation at <http://stce.be/news/309/Gifanime.gif>

All the relevant features can also be brought together on one image, as is done below. The basic image is a white light disk image on which the filaments (red, fat lines) are indicated. The dashed green lines indicate the somewhat dark areas seen in the EUV images. The prominent dark patches seen in x-ray imagery are indicated in blue. The bright areas are indicative of active regions, not necessarily sunspot groups, and are represented by the dashed white contours. The whole has been overlaid on the x-ray image showing the hot outer solar atmosphere. Clearly, the Sun's atmospheric structure is much more complex than a simple white light image would suggest.




Credits - Images were taken from SDO (<http://sdo.gsfc.nasa.gov/data/aiahmi/>), GONG H-alpha Network (<http://halph.nso.edu/>), and GOES/SXI (<http://www.swpc.noaa.gov/products/goes-solar-x-ray-imager-sxi>).

2. Curious about GIC, power-grid and pipelines?

Here is your chance to learn more about it.

Go to


<http://www.stce.be/sw4e/>



3. Or more interested in Solar and Astrophysical Modeling?

No problem, we have it all:

http://www.fz-juelich.de/ias/jsc/EN/Expertise/Workshops/Conferences/CSAM-2015/_node.html



Absolutely worth a trip to Germany from 14-18 September, 2015

4. ESWW12 registration is open

<http://www.stce.be/esww12/>

One more announcement: we will meet in Ostend, at the sea. Bring your swimming suit!

Don't forget to submit your abstract before June 1.



5. PROBA2 Observations (18 May 2015 - 24 May 2015)

Solar Activity

Solar flare activity fluctuated between very low and low during the week.

In order to view the activity of this week in more detail, we suggest to go to the following website from which all the daily (normal and difference) movies can be accessed:

<http://proba2.oma.be/ssa>


This page also lists the recorded flaring events.

A weekly overview movie can be found here (SWAP week 269).

http://proba2.oma.be/swap/data/mpg/movies/weekly_movies/weekly_movie_2015_05_18.mp4


Details about some of this week's events, can be found further below.

Wednesday May 20



Failed eruption on the southeast quadrant @ 08:17 SWAP image
Find a movie of the event here (SWAP movie)
http://proba2.oma.be/swap/data/mpg/movies/20150520_swap_movie.mp4

Friday May 22



Eruption on the west limb @ 09:29 SWAP image


Find a movie of the event here (SWAP movie)

http://proba2.oma.be/swap/data/mpg/movies/20150522_swap_movie.mp4

6. Review of solar activity


Solar activity has been very low for the entire week with just some occasional low level C flares (10 in total, all below C3 level). Active region 2349 was the most active source with 2351 contributing earlier in the week and 2353 (which developed on disk) later in the week.

Distribution of >B flares, May 18 – 24, 2015



The left chart gives an overview of the total number of flares per NOAA AR region for the indicated week. The right chart gives an overview of the flaring activity per NOAA AR per day.


The background X-ray flux was situated in the B-level as can be seen in the graph below showing the X-ray flux measured by the satellite GOES.



Some smaller filament eruptions were detected earlier in the week, but none generated significant or Earth-ward CME's.


7. Review of geomagnetic activity

The week started with the arrival of the May 12 CME on May 18, which with its low speed caused just a minor transient in the solar wind. It was followed by a sector boundary crossing and the subsequent arrival of a high speed stream from a positive polarity coronal hole (CH) - green encircled in the SDO/ AIA 193 image, near the central meridian.




Solar wind velocity increased to around 550 km/s. Total magnetic field reached a peak of 19nT around 1:00UT

May 19 after which it steadily decreased to nominal values. Some periods of pronounced negative Bz were recorded, down to -15nT.




The negative Bz came associated with some minor geomagnetic storm conditions around midnight May 18 to 19 (NOAA Kp 5, though local K Dourbes did not exceed K=4). Solar wind conditions then returned to nominal with associated quiet to unsettled geomagnetic conditions.

8. Geomagnetic Observations at Dourbes (18 May 2015 - 24 May 2015)



9. Review of ionospheric activity (18 May 2015 - 24 May 2015)

VTEC Time Series



The figure shows the time evolution of the Vertical Total Electron Content (VTEC) (in red) during the last week at three locations:

- in the northern part of Europe (N61°, 5°E)
- above Brussels (N50.5°, 4.5°E)
- in the southern part of Europe (N36°, 5°E)

This figure also shows (in grey) the normal ionospheric behaviour expected based on the median VTEC from the 15 previous days.

The VTEC is expressed in TECu (with $\text{TECu} = 10^{16}$ electrons per square meter) and is directly related to the signal propagation delay due to the ionosphere (in figure: delay on GPS L1 frequency).

The Sun's radiation ionizes the Earth's upper atmosphere, the ionosphere, located from about 60km to 1000km above the Earth's surface. The ionization process in the ionosphere produces ions and free electrons. These electrons perturb the propagation of the GNSS (Global Navigation Satellite System) signals by inducing a so-called ionospheric delay.

See http://stce.be/newsletter/GNSS_final.pdf for some more explanations ; for detailed information, see http://gnss.be/ionosphere_tutorial.php

10. Future Events

For more details, see <http://www.spaceweather.eu/en/event/future>

Solar Influences on the Magnetosphere, Ionosphere and Atmosphere in Sunny Beach, Bulgaria

Start : 2015-06-01 - End : 2015-06-05

Check the website for more information.

Website:

<http://ws-sozopol.stil.bas.bg/>

Los Alamos Space Weather Summer School, in Los Alamos, NM, USA

Start : 2015-06-01 - End : 2015-07-24

The Space Weather Summer School at Los Alamos National Laboratory, established in 2011 under the founding Director Josef Koller, is dedicated to space weather, space science and applications. Every year we solicit applications for the Los Alamos Space Weather Summer School. This summer school is sponsored and supported by a number of organizations at LANL. This year our top sponsors include the Los Alamos Institute of Geophysics, Planetary Physics and Signatures (IGPPS) and the Laboratory Directed Research and Development Office (LDRD). The summer school brings together top space science students with internationally recognized researchers at LANL in an educational and collaborative atmosphere.

Website:

<http://www.swx-school.lanl.gov/>

RadioSun4 Workshop & Summer School in Irkutsk, Russia

Start : 2015-06-08 - End : 2015-06-12

The RadioSun Workshop and Summer School 2015 is the fourth international academic seminar supported by the International Research Staff Exchange Scheme of the Seventh Framework Programme of the European Union (FP7-IRSES-295272-RADIOSUN). The aims of this project are to establish close research interaction and collaboration between the key EU and non-EU research groups involved in the research of the Sun in the radio band; qualitatively advance our knowledge of the physical processes operating in the solar atmosphere, the basic mechanisms responsible for its evolution and dynamics and its effect on the Earth; and provide younger researchers with extensive training in relevant research techniques and with universal transfer.

Website:

<http://www2.warwick.ac.uk/fac/sci/physics/staff/research/davidpascoe/radiosun>

Solar dynamo frontier workshop in Boulder, CO (USA)

Start : 2015-06-09 - End : 2015-06-12

The last five years have seen substantial progress in our understanding of the solar dynamo, fueled by continuing advances in observations and modeling. With the launch of NASA's Solar Dynamics Observatory (SDO) in 2010 came an unprecedented window on the evolving magnetic topology of the Sun, highlighting its intricate 3D structure and global connectivity. The Helioseismic Magnetic Imager (HMI) instrument on SDO in particular has provided potentially transformative yet enigmatic insights into the internal dynamics of the solar convection zone that underlie the dynamo. Attempts to detect subsurface convective motions from helioseismic inversions have yielded only upper limits on the large-scale convective amplitude, challenging our understanding of global solar convection. Yet, potential signatures of giant cells have been detected in photospheric Dopplergrams. Estimates of the meridional flow from HMI and complementary instruments (SOHO/MDI and GONG) have been equally tantalizing

and enigmatic. Several disparate techniques, including local and global helioseismic inversions and correlation tracking of surface features, have yielded evidence of a multi-cellular meridional flow but they differ on the detailed flow structure and amplitude. This multi-cellular meridional flow has potentially profound implications for flux-transport dynamo models that previously assumed a very different structure with a single circulation cell per hemisphere.

Website:

<https://www2.hao.ucar.edu/Workshop/Solar-Dynamo-Frontiers>

National Astronomy Meeting 2015 in Llandudno, UK

Start : 2015-07-05 - End : 2015-07-09

We would like to invite you to submit contributed abstracts to the parallel session "The science of space weather: progressing our understanding" at the 2015 UK National Astronomy Meeting from 5-9 July (<http://nam2015.org>). The abstract-submission deadline is 1 April 2015. Observers, modellers, and theoreticians are all welcome. We also welcome participation from end users interested in how the science of space weather is advancing.

The science of space weather: progressing our understanding

The goal of this session is to provide an opportunity to discuss the scientific research that underpins space weather and how a new generation of operational space weather measurements could best be utilised to further progress our understanding. Specific topics are likely to include 1) gaps in our understanding of space weather and how to resolve them, 2) new space and ground-based data that are needed, 3) new science that can be carried out with the operational space weather measurements being planned today.

This session is motivated by the fact that the UK has a strong heritage in the science of the coupled Sun-Earth system, from both an observational and theoretical perspective. This research is increasingly being applied to the area of space weather monitoring and forecasting, a topic that is now nationally recognised as an important natural hazard for the UK (highly ranked in the National Risk Register) and the subsequent opening of the Met Office Space Weather Operations Centre in 2014.

Up until now, both the research and the space weather monitoring and forecasting have utilised mainly data from instrumentation (both space- and ground-based) designed to answer pertinent scientific questions, though some operational instruments (e.g. the X-ray and particle detectors on NOAA's GOES spacecraft) are also widely exploited for scientific use. However, there is now growing interest in deploying more instruments, in space and on the ground, designed to support operational space weather services. Such operational measurements can facilitate new science, as demonstrated by the extensive research use of GOES data, but it is important that the limitations imposed by operational needs are discussed.

Website: <http://nam2015.org/>

CISM Space Weather Summer School in Boulder, CO, USA

Start : 2015-07-13 - End : 2015-07-24

The CISM Summer School is intended to give students a comprehensive immersion in the subject of space weather: what it is, what it does, and what can be done about it. Space weather is many things: beautiful when seen through the eyes of a sun-viewing telescope, fascinating when studied for its alien worlds of magnetic structures and phenomena, awesome when witnessed as a solar eruption or auroral storm, and devastating to the users of services it disrupts. Space weather links the Sun, the Earth, and the space in between in a branching chain of consequences. Weather systems on the Sun can spawn interplanetary storms of colossal size and energy that envelop the whole planet in electrical hurricanes. Such storms attack high-tech, complex, and expensive technological systems that provide much of the infrastructure that allows modern society to function.

Website:

<https://www2.hao.ucar.edu/Events/2015-CISM-Summer-School>

Loops7: Heating of the Magnetically Closed Corona in Cambridge, UK

Start : 2015-07-21 - End : 2015-07-23

The conference will review past and recent achievements, as well as future challenges in the field of solar coronal loop physics.

Website:

<http://www.damtp.cam.ac.uk/user/astro/cl7/index.html>

Heliophysics Summer School 2015: Seasons in Space: Cycles of variability of Sun-Planet systems, in Boulder, CO, USA

Start : 2015-07-28 - End : 2015-08-04

Heliophysics is all of the science common to the field of the Sun-Earth connections. This fast-developing field of research covers many traditional sub-disciplines of space physics, astrophysics, and climate studies. The NASA Living with a Star program, with its focus on the basic science underlying all aspects of space weather, acts as a catalyst to bring the many research disciplines together to deepen our understanding of the system of systems formed by the Sun-Earth connection.

Website:

<http://www.heliophysics.ucar.edu/>

34th International Cosmic Ray Conference (ICRC) in The Hague, The Netherlands

Start : 2015-07-30 - End : 2015-08-06

The 34th International Cosmic Ray Conference (ICRC) will be held from July 30 to August 6, 2015, in The Hague, The Netherlands. It is an important and large conference in the field of Astroparticle Physics. The ICRC covers: cosmic-ray physics, solar and heliospheric physics, gamma-ray astronomy, neutrino astronomy, and dark matter physics.

Website: <http://icrc2015.nl>

SOLARNET III / HELAS VII: The Sun, the stars, and solar-stellar relations, in Freiburg (Germany)

Start : 2015-08-31 - End : 2015-09-04

The purpose of this conference is to discuss the latest questions and results in solar and stellar physics. Solar and stellar seismology will be one particular focus but contributions on all aspects of solar-stellar relations will be welcome. We aim to establish links and synergies between the day- and night-time fields of astrophysics.

Website:

<http://www.iac.es/congreso/solarnet-3meeting/>

1st Joint Solar Probe Plus-Solar Orbiter Workshop, in Florence (Italy)

Start : 2015-09-02 - End : 2015-09-04

The Workshop will address how the joint exploration of the corona and inner heliosphere will lead to advances in our understanding of coronal heating and solar wind acceleration, the magnetic and plasma structure of the heliosphere, and the acceleration of energetic particles at shocks and flares. The workshop will inspire research that will make use of SO and SPP observations within the context of the NASA Heliophysics Observatory System and identify key areas for preparatory research. Synergistic observations from other ground based and space based assets will also be addressed.

Website:

<http://www.solarprobeplus.org/2015/>

International Workshop and School on Solar System plasma in Mamaia, Romania

Start : 2015-09-06 - End : 2015-09-13

The International Workshop and School on solar system plasma turbulence, intermittency and multifractals (STORM 2015) focus on the quantitative experimental, theoretical and numerical investigation of turbulence, intermittency, fractal/multifractal features, waves and coherent structures

interaction, criticality and non-linear cross-scale coupling. As widely documented by in-situ satellite measurements and remote or ground-based observations, turbulence, intermittency and dynamical complexity are quite ubiquitous processes observed in the dynamics of solar, planetary and interplanetary plasmas, as well as in the dynamical evolution of proxies linked to magnetospheric and ionospheric variability.

Unfolding the spatio-temporal structure of magnetic field and plasma fluctuations from experimental observations and numerical simulations provides further insight on the structure of plasma turbulence and intermittency. On the theoretical side, the understanding of such complex dynamical behavior cannot be simply surmised from the basic fluid/kinetic equations, but instead requires novel theoretical, experimental and data analysis approaches. The workshop is a forum to present and discuss latest results in these fields. The purpose of the school is to give to a young audience of Graduate, Ph.D. students, and postdoc scientists, which ideally represents the next generation of scholars in the physics of space plasmas, an overall view of both theoretical and data analysis tools apt to fully exploit unique and unprecedented observations that will be provided by future upcoming mission like Solar Orbiter and Solar Probe Plus.

Website:

<http://www.space-science.ro/conferences/storm2015/>

3rd UK-Ukraine-Spain meeting on solar physics and space science in Lviv, Ukraine

Start : 2015-09-07 - End : 2015-09-11

The meeting will cover various aspects of solar physics and space weather related processes. The special emphasis will be paid to progress in data-driven simulations and high-resolution spectropolarimetry as powerful diagnostic techniques to unravel information about magnetic fields in the photosphere and chromosphere of the Sun.

Website:

http://ssg.group.shef.ac.uk/Conferences/Ukraine_UK_2015/index.html

Hinode 9 - International Science Meeting in Belfast, UK

Start : 2015-09-14 - End : 2015-09-18

Hinode is a solar satellite funded jointly by JAXA, NASA, ESA and STFC/UKSA that has entered its ninth year of operations. It has had a major impact across many areas of solar physics and facilitated many fundamental discoveries. These findings are documented in over 850 papers in the refereed literature and hundreds of papers in conference proceedings. With 96 refereed publications in 2013 and more than 81 papers in 2014, Hinode has remained scientifically highly productive. A non-exhaustive list indicates over 100 students globally who are undertaking or have completed PhDs using Hinode data. With the Solar Orbiter on the horizon, there is a good chance that the two missions will operate at the same time. The meeting will help the solar physics community to maximise the science return from the Orbiter.

Website:

<https://star.pst.qub.ac.uk/wiki/doku.php/public/hinode9/start>

RADECS-2015 in Moscow, Russia

Start : 2015-09-14 - End : 2015-09-18

The aim of RADECS conferences is to provide an annual European forum for the presentation and discussion of the latest advances in the field of radiation effects on electronic and photonic materials, devices, circuits, sensors, and systems. The scope of the conference encompasses technological processes and design techniques for producing radiation tolerant systems for space, aeronautical or terrestrial applications, as well as relevant methodologies for their characterization and qualification. The conference features a technical program, an Industrial Exhibition, and one day tutorial or "short course" on radiation effects. The technical program includes oral and poster sessions and round tables.

Website:

<http://www.radecs2015.org/>

Heliospheric physical processes for understanding Solar-Terrestrial Relations in L'Aquila, Italie

Start : 2015-09-21 - End : 2015-09-26

A good understanding of solar-terrestrial processes is fundamental to modelling the influence of solar variability on the Earth's environment and climate. To capture all the physical aspects of the solar wind-magnetosphere-ionosphere-atmosphere interaction, and also the impact of solar variability on climate, the Sun-Earth system has to be studied as a whole. The main purpose of this school is to provide graduate, PhD students and also young post-doc researchers with a global view of the main physical processes by which solar variability affects the Earth's environment. In addition, an overview of different data analysis and methods for describing solar-terrestrial relations will be given. The school will provide a mix of lectures and activities requiring students participation.

Website:

<http://www.cifs-iss.org/>

Ground-based Solar Observations in the Space Instrumentation Era in Coimbra, Portugal

Start : 2015-10-05 - End : 2015-10-09

This CSPM-2015 scientific meeting will cover various aspects of solar dynamic and magnetic phenomena which are observed over the entire electromagnetic spectrum: white-light, Hα, Ca II, and radio from ground and in a variety of other wavelengths (white light, UV and EUV, and X-rays) from space. Emphasis will also be placed on instrumentation, observing techniques, and solar image processing techniques, as well as theory and modelling through detailed radiative transfer in increasingly realistic MHD models. The long-term (cyclic) evolution of solar magnetism and its consequence for the solar atmosphere, eruptive phenomena, solar irradiation variations, and space weather, will be in focus. Here, special attention will be devoted to the long-term observations made in Coimbra and also to the results of the SPRING / SOLARNET and SCOSTEP VarSITI studies. In particular, the weak solar activity during the current solar maximum will be discussed. Finally, since this meeting is organised around the 90th anniversary of performing the first spectroheliographic observations in Coimbra, a session will be specially dedicated to new solar instruments (both ground-based and space-borne) that will give access to unexplored solar atmospheric features and dynamic phenomena over the coming years.

Website:

<http://www.mat.uc.pt/~cspm2015/>

AMS-02 Energetic Particle Workshop in Hawaii, USA

Start : 2015-10-18 - End : 2015-10-24

The workshop aims to bring together experts in the field of cosmic rays and solar energetic particles with an additional focus on their propagation inside the heliosphere and their interaction with the magnetosphere. The talks will present the most recent results related to solar energetic particles (SEPs), solar modulation, space radiation and related phenomena.

Website:

<http://www.phys.hawaii.edu/ams02/pages/workshop.php>

Third Remote Sensing of the Inner Heliosphere and Space Weather Applications Workshop in Morelai, Michoacan (Mexico)

Start : 2015-10-19 - End : 2015-10-23

The workshop aims to gather experts from the various fields of remote sensing observations of the inner heliosphere, including white light, EUV, and radio observation, together with modellers in order to tackle key outstanding science and space weather operational issues, establish closer working relations, and devise the best ways to move the field forward as a whole. In addition, the science learned from remote sensing observations is critical to improving our capabilities of space weather forecasting. The workshop aims to look at ways in which we can more easily and efficiently share and access the various types of data between individual groups and subcommunities and to officially launch the IPS Common

Data Format v1.0 (IPSCDFv1.0) now in use. It also aims to allow investigations into ways in which we model the inner heliosphere looking at the advantages and disadvantages of the available modelling, updates on present and future remote sensing capabilities, and investigating further the ways in which these data sets all complement each other and are necessary to gain knowledge and understanding of the fundamental physical processes that occur within the inner heliosphere. These are critical processes that are key to both Heliophysics science as well as to space weather operations and forecasting.

Website:

<http://www.sciesmex.unam.mx/workshop2015/>

12th Potsdam Thinkshop in Potsdam, Germany

Start : 2015-10-26 - End : 2015-10-29

In the tradition of the series of "Potsdam Thinkshops", we invite instrument specialists, observers, modellers, and theorists to exchange ideas, to stimulate discussion, to initiate future collaborations among participants, and to attract new users of instruments by showcasing the capabilities. The aim is to make progress towards a comprehensive description of solar eruptive events effectively aggregating their global properties as well as their highly dynamic fine structure.

Website:

<https://thinkshop.aip.de/12/cms/>

SEST/MiniMax Workshop in Mexico City, Mexico

Start : 2015-10-26 - End : 2015-10-30

The workshop is to improve the scientific understanding of the origin and propagation of solar transients, and develop the prediction capacity of these transients' arrival and potential impact on the Earth. The workshop engages coordinated international activities in observation, theory and modeling, and involves scientists in both developed and developing countries, and provides an online platform for educational opportunities for students.

Website:

<http://cintli.geofisica.unam.mx/congreso/>

2015 Sun-Climate Symposium in Savannah, Georgia, USA

Start : 2015-11-10 - End : 2015-11-13

Observations of the Sun and Earth from space have revolutionized our view and understanding about impacts of solar variability and anthropogenic forcing on Earth climate. For more than three solar cycles since 1978, the total and spectral solar irradiance (TSI and SSI) and global terrestrial atmosphere/surface have been observed continuously, enabling unprecedented quality data for Sun-climate studies. The primary objective of this symposium is to convene climate scientists, solar physicists, and experimentalists together for a better understanding how Earth climate system changes and responds to solar variability.

Website: <http://lasp.colorado.edu/home/sorce/news-events/meetings/2015-sun-climate-symposium/>

European Space Weather Week in Belgium

Start : 2015-11-23 - End : 2015-11-27

The European Space Weather Week (ESWW) is the European forum for Space Weather users, forecasters, scientists and the involved industries, as proven by the high attendance to the ESWW 11 in November 2014.

The ESWW 12 will be held in Belgium in November, 23-27, 2015 and its organisation has already started and is benefiting from the experience and inputs from the past editions.

Website: <http://stce.be/esww12/>

AGU Chapman Conference on Currents in Geospace and Beyond in Dubrovnik, Croatia

Start : 2016-05-22 - End : 2016-05-27

Electric currents are fundamental to the structure and dynamics of space plasmas, including our own near-Earth space environment (also called "geospace"). This recognition is one of the great achievements in space research, going back to the beginning of the last century. With the current multi-spacecraft missions, such as Cluster, THEMIS and Swarm, we have unprecedented opportunities to unravel many of the intriguing puzzles about electric currents.

The conference will provide a forum in which various space science communities can come together to discuss recent achievements of observational, theoretical, and modelling studies. The emphasis will be on cross-disciplinary science sessions.

Website:

<http://chapman.agu.org/spacecurrents/general-informationabout-conference/>

41st COSPAR Scientific Assembly in Istanbul, Turkey

Start : 2016-07-30 - End : 2016-08-07

The 41st COSPAR Scientific Assembly will be held in Istanbul, Turkey from 30 July - 7 August 2016. This Assembly is open to all bona fide scientists.

Website:

<https://www.cospar-assembly.org/>

IAU Symposium 327: Fine Structure and Dynamics of the Solar Atmosphere in Cartagena de Indias, Colombia

Start : 2016-10-09 - End : 2016-10-13

The scientific goal of this symposium is to discuss recent results on the processes shaping the structure of the solar atmosphere and driving plasma eruptions and explosive events. Activity of the solar atmosphere entails numerous multi-scale processes. State-of-the-art solar instrumentation is revealing the dynamics of the Sun with unprecedented temporal and spatial resolutions. Together with advanced numerical simulations these investigations are making new steps in our understanding of the complex dynamical structure of the solar atmosphere.

Major unsolved problems of astrophysics such as how the solar corona is heated and how the solar wind and heliosphere are powered have their roots in the origin of small-scale magnetic fields constituting the Sun's 'magnetic carpet' in the photosphere and appearing as 'magnetic canopy' in the chromosphere.

Website:

<http://www.iau.org/science/meetings/future/symposia/1160/>